

.1. Product identifier	
Product form	: Mixture
roduct name	: WSD Cherry
Product code	: 9051
.2. Relevant identified uses of	of the substance or mixture and uses advised against
se of the substance/mixture	: Water Soluble Deodorant
.3. Details of the supplier of	the safety data sheet
lo-Kem	
9402 Susana Rd.	
Rancho Dominguez, CA 90221 - USA 310-632-7124 - F 310-631-7496	
ttp://www.flo-kem.com	
.4. Emergency telephone nu	nber
mergency number	: CHEMTEL: 800-255-3924
	institut
ECTION 2: Hazards identif	
.1. Classification of the subs	
Classification (GHS-US)	
ilam. Liq. 4 H227 Skin Irrit. 2 H315	
ye Irrit. 2A H319	
kin Sens. 1 H317	
ull text of H-phrases: see section 16	
2. Label elements	
HS-US labeling	
	GHS07
signal word	: Warning
lazard statements	: Combustible liquid.
	Causes skin irritation.
	May cause an allergic skin reaction.
	Causes serious eye irritation.
recautionary statements	: Keep away from open flames, sparks No smoking.
	Avoid breathing mist, vapors.
	Wash hands and forearms thoroughly after handling.
	Contaminated work clothing must not be allowed out of the workplace.
	Wear eye protection, face protection, protective clothing, protective gloves.
	If on skin: Wash with plenty of water.
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
	If skin irritation or rash occurs: Get medical advice/attention.
	If eye irritation persists: Get medical advice/attention.
	Take off contaminated clothing and wash before reuse.
	In case of fire: Use alcohol resistant foam, BC-powder, carbon dioxide (CO2), sand to extinguish.
	Store in a well-ventilated place. Keep cool.
	Dispose of contents/container in accordance with Local, State, and Federal regulations.

No additional information available

WSD Cherry

Safety Data Sheet

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
2-propanol	(CAS No) 67-63-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy-	(CAS No) 34398-01-1	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
ethyl methylphenylglycidate	(CAS No) 77-83-8	< 1	Skin Sens. 1, H317

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.		
First-aid measures after skin contact	: If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.		
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
4.2. Most important symptoms and effect	cts, both acute and delayed		
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.		
Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction.			
Symptoms/injuries after eye contact	Symptoms/injuries after eye contact : Causes serious eye irritation.		
Symptoms/injuries after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.			

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Combustible liquid.
Reactivity	: Reacts with (strong) oxidizers: (increased) risk of fire. Reacts with many compounds e.g. (strong) oxidizers, (some) acids and (some) halogens.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	 Although product has a flash point <200° F, it is an aqueous solution and does not sustain combustion.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Isolate from fire, if possible, without unnecessary risk.	
Product Code:9051	EN (English US)	Page 2 of 7

6.1.1.	For non-emergency personnel		
Protective	e equipment	:	Protective goggles.
			Gloves.
			Protective clothing.
Emergen	cy procedures	:	Evacuate unnecessary personnel.
6.1.2.	For emergency responders		
Protective	e equipment	:	Equip cleanup crew with proper protection.
Emergen	cy procedures	:	Ventilate area.
6.2.	Environmental precautions		
Prevent e	entry to sewers and public waters. Notify	au	thorities if liquid enters sewers or public waters.
6.3.	Methods and material for containment	nt a	and cleaning up
For conta	inment	:	Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. If reacting: dilute combustible/toxic gases/vapors.
Methods	for cleaning up	:	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Wash down leftovers with plenty of water.
6.4.	Reference to other sections		
See Hea	ding 8. Exposure controls and personal p	oro	tection.
SECTIO	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Precautic	ns for safe handling	:	Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use personal protective equipment as required.
Hygiene	measures	:	Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2.	Conditions for safe storage, includin	ga	any incompatibilities
Technica	l measures	:	Take precautionary measures against static discharge. Comply with applicable regulations.
Incompat	ible products	:	Oxidizing agent. Strong acids.
Storage a	area	:	Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-propanol (67-63-0)			
USA ACGIH ACGIH TWA (ppm) 200 ppm		200 ppm	
USA ACGIH	ACGIH STEL (ppm)	200 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm	
USA OSHA	OSHA PEL (STEL) (mg/m ³)	1225 mg/m ³	
USA OSHA	OSHA PEL (STEL) (ppm)	500 ppm	

Exposure controls 8.2.

Hand protection: Wear protective gloves.Eye protection: Chemical goggles or safety glasses.Skin and body protection: Wear suitable protective clothing.Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.Other information: When using, do not eat, drink or smoke.Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands b breaks and at the end of workday.	Personal protective equipment	: Avoid all unnecessary exposure.
Skin and body protection: Wear suitable protective clothing.Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.Other information: When using, do not eat, drink or smoke.Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands be	Hand protection	: Wear protective gloves.
Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.Other information: When using, do not eat, drink or smoke.Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands be	Eye protection	: Chemical goggles or safety glasses.
Other information : When using, do not eat, drink or smoke. Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accordance with good industrial hygiene and safety practice. Wash hands be accorded by a conducter with good industrial hygiene and safety practice.	Skin and body protection	: Wear suitable protective clothing.
Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands b	Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
	Other information	: When using, do not eat, drink or smoke.
	Appropriate engineering controls	

before

.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Clear pink
Ddor	: Cherry
Odor threshold	: No data available
pH	: 6.1 - 7.1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 200 °F
Flash point	: >140 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available
Specific Gravity @ 77º F	: 0.985 - 1.005
Solubility	: Water: Complete
Partition Coefficient n-Octanol-Water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
9.2. Other information	
VOC content	: < 40 g/l CARB VOC
SECTION 10: Stability and reactivit	ty in the second se
10.1. Reactivity	
Reacts with (strong) oxidizers: (increased) risk	of fire. Reacts with many compounds e.g. (strong) oxidizers, (some) acids and (some) halogens.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	3
Not established.	
10.4. Conditions to avoid	
Extremely high or low temperatures. Open flar	ne. Heat. Sparks.
10.5. Incompatible materials	
Strong acids. Oxidizers.	
10.6. Hazardous decomposition produc	ts
Carbon monoxide. Carbon dioxide.	

1.1. Information on toxicological	effects
cute toxicity	: Not classified
2-propanol (67-63-0)	
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (oral)	5045.000 mg/kg body weight
ATE US (dermal)	12870.000 mg/kg body weight
ATE US (vapors)	73.000 mg/l/4h
ATE US (dust, mist)	73.000 mg/l/4h

poly(oxy-1,2-ethanediyl), a-undecyl-w-hydro	oxy- (34398-01-1)
LD50 oral rat	> 1400 mg/kg
ATE US (oral)	500.000 mg/kg body weight
ethyl methylphenylglycidate (77-83-8)	
LD50 oral rat	5470 mg/kg (Rat)
ATE US (oral)	5470.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
	pH: 6.1 - 7.1
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 6.1 - 7.1
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
2-propanol (67-63-0)	
IARC group	3 - Not Classifiable
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
exposure)	
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.

SECTION 12: Ecological informati	on		
12.1. Toxicity			
2-propanol (67-63-0)			
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)		
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)		
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)		
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)		
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)		
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)		
	poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- (34398-01-1)		
LC50 fish 1	1 - 10 mg/l		
EC50 Daphnia 1	1 - 10 mg/l		
ErC50 (algae)	1 - 10 mg/l		
12.2. Persistence and degradability			
2-propanol (67-63-0)			
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test) data on mobility of the substance available.		
Biochemical oxygen demand (BOD)	1.19 g O2/g substance		
Chemical oxygen demand (COD)	2.23 g O2/g substance		
ThOD	2.40 g O2/g substance		
BOD (% of ThOD)	0.49 % ThOD		
ethyl methylphenylglycidate (77-83-8)			
Persistence and degradability	Biodegradability in water: no data available.		

2-propanol (67-63-0)	
Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
ethyl methylphenylglycidate (77-83-8)	No bio secondation data available
Bioaccumulative potential	No bioaccumulation data available.
2.4. Other adverse effects	
Other information	: Avoid release to the environment.
ECTION 13: Disposal considerat	ions
3.1. Waste treatment methods	
Vaste disposal recommendations	: Dispose of contents/container in accordance with Local, State, and Federal regulations.
dditional information	: Handle empty containers with care because residual vapors are flammable.
cology - waste materials	: Avoid release to the environment.
ECTION 14: Transport information	bn
4.1. UN Number	
IN-No.(DOT)	: Not Regulated
Other information	: Although product has a flash point <200° F, it is an aqueous solution and does not sustain combustion
4.2. UN proper shipping name	
OT Proper Shipping Name	: Not Regulated
SECTION 15: Regulatory informat	ion
5.1. US Federal regulations	
This product or mixture does not contain a t	the Toxic Substances Control Act (TSCA) inventory toxic chemical or chemicals in excess of the applicable de minimis concentration as the reporting requirements of section 313 of Title III of the Superfund Amendments and
	art 372.
Reauthorization Act of 1986 and 40 CFR Pa	art 372.
specified in 40 CFR §3/2.38(a) subject to the Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic St	
Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic St	
Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic St SARA Section 311/312 Hazard Classes	Ubstances Control Act) inventory Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard
Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic St SARA Section 311/312 Hazard Classes poly(oxy-1,2-ethanediyl), a-undecyl-w-hy	Ubstances Control Act) inventory Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard rdroxy- (34398-01-1)
Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic St SARA Section 311/312 Hazard Classes poly(oxy-1,2-ethanediyl), a-undecyl-w-hy Listed on the United States TSCA (Toxic St	Ubstances Control Act) inventory Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard rdroxy- (34398-01-1)
Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic Su SARA Section 311/312 Hazard Classes poly(oxy-1,2-ethanediyl), a-undecyl-w-hy Listed on the United States TSCA (Toxic Su SARA Section 311/312 Hazard Classes	Ubstances Control Act) inventory Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard rdroxy- (34398-01-1) Ubstances Control Act) inventory
Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic Su SARA Section 311/312 Hazard Classes poly(oxy-1,2-ethanediyl), a-undecyl-w-hy Listed on the United States TSCA (Toxic Su SARA Section 311/312 Hazard Classes ethyl methylphenylglycidate (77-83-8)	Jubstances Control Act) inventory Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard rdroxy- (34398-01-1) Jubstances Control Act) inventory Immediate (acute) health hazard
Reauthorization Act of 1986 and 40 CFR Pa 2-propanol (67-63-0) Listed on the United States TSCA (Toxic St SARA Section 311/312 Hazard Classes poly(oxy-1,2-ethanediyl), a-undecyl-w-hy Listed on the United States TSCA (Toxic St SARA Section 311/312 Hazard Classes	Jubstances Control Act) inventory Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard rdroxy- (34398-01-1) Jubstances Control Act) inventory Immediate (acute) health hazard

EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP] Classification according to Directive 67/548/EEC or 1999/45/EC Not classified 15.2.2. National regulations

WSD Cherry

Safety Data Sheet

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Abbreviations Legend:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material liself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (310) 632-7124

Revision date: 11/06/2014 Supersedes: 12/26/2012 Version: 1.0