

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Germ Swipe Detergent Disinfectant

Product code : 285

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Quat Detergent Disinfectant

1.3. Details of the supplier of the safety data sheet

Chemco Products Company 6401 E. Alondra Blvd. Paramount, CA 90723 - USA T 866-243-6261 - F 562-602-2811 http://www.chemcoprod.com

1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification

Eye Irrit. 2B H320 Aquatic Acute 2 H401 Aquatic Chronic 3 H412

Full text of H- and EUH-statements: see section 16

2.2. Label elements

GHS US labeling

Signal word : Warning

Hazard statements : Causes eye irritation.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary statements : Wash hands thoroughly after handling.

Avoid release to the environment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3. Hazard not otherwise classified (HNOC)

No additional information available

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable.

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H- and EUH-statements: see section 16

3.2. Mixture

Name	Product identifier	%	GHS US classification
2-(2-butoxyethoxy)ethanol	(CAS-No.) 112-34-5	5 - 10	Eye Irrit. 2A, H319
tetrasodium ethylenediaminetetracetate	(CAS-No.) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Product Code:285 EN (English US) Page 1 of 8

Safety Data Sheet

Name	Product identifier	%	GHS US classification
C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride	(CAS-No.) 85409-23-0/68956-79-6	0.1 - 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
alkyl dimethyl benzyl ammonium chloride (C12-18)	(CAS-No.) 68391-01-5	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with water and soap. If skin irritation persists, get medical attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Slight irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes serious eye irritation. redness, itching, tears.

Symptoms/effects after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the

gastric/intestinal mucosa. Irritation of the oral mucous membranes. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical powder. Water spray or fog.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Self-contained breathing apparatus.

Other information : No additional information available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it. Do not handle

until all safety precautions have been read and understood.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel.

Large spills/in confined spaces: consider evacuation.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Do not attempt to take action without suitable protective equipment.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Product Code:285 EN (English US) Page 2 of 8

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, collect/pump into suitable containers. Plug the leak, cut off the

supply.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Store away

from other materials. Wash down leftovers with plenty of water. Wash clothing and equipment

after handling.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Avoid prolonged and repeated contact with skin. Observe normal

hygiene standards.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas

with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store at temperatures not exceeding 120F.

Incompatible products : Strong acids. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-(2-butoxyethoxy)ethanol (1	12-34-5)	
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	ACGIH STEL (ppm)	10 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : In case of repeated or prolonged contact, wear protective gloves.

Eye protection : If splashes are likely to occur, wear safety glasses with side-shields. None required for

consumer use.

Skin and body protection : No special protective equipment required.

Respiratory protection : No respiratory protection needed under normal use conditions. In case of insufficient

ventilation, wear suitable respiratory equipment.

Other information : Do not eat, drink or smoke during use.

Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers

should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Clear light straw

Odor : Citrus

Odor threshold : No data available pH : 11.5 - 12.5

Melting point : No data available Freezing point : No data available

Boiling point : $> 212 \,^{\circ}F$ Flash point : $> 201 \,^{\circ}F$

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available

Product Code:285 EN (English US) Page 3 of 8

Safety Data Sheet

Vapor pressure : No data available
Vapor density : No data available

Specific Gravity @ 77° F : 1.005 - 1.025
Solubility : Soluble in water
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 5 g/l CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

2-(2-butoxyethoxy)ethanol (112-34-5)		
LD50 oral rat	5660 mg/kg (Rat)	
LD50 dermal rabbit	2764 mg/kg (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity)	
ATE US (oral)	5660 mg/kg body weight	
ATE US (dermal)	2764 mg/kg body weight	
tetrasodium ethylenediaminetetracetate (64-02-8)		
LD50 oral rat	> 2000 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 nl/kg	
ATE US (oral)	500 mg/kg body weight	
C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride (85409-23-0/68956-79-6)		
LD50 oral rat	350 mg/kg	
LD50 dermal rabbit	3000 mg/kg	
ATE US (oral)	350 mg/kg body weight	
ATE US (dermal)	1100 mg/kg body weight	
alkyl dimethyl benzyl ammonium chloride (C12-18) (68391-01-5)		

alkyl dimethyl benzyl ammonium chloride (C12-18) (68391-01-5)		
LD50 oral rat	650 mg/kg	
ATE US (oral)	650 mg/kg body weight	

Skin corrosion/irritation : Not classified pH: 11.5 - 12.5
Serious eye damage/irritation : Causes eye irritation

: Causes eye irritation. pH: 11.5 - 12.5

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met.

Product Code:285 EN (English US) Page **4** of **8**

Safety Data Sheet

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met.

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after skin contact

: Slight irritation. Repeated exposure may cause skin dryness or cracking. Symptoms/effects after eye contact : Causes serious eye irritation. redness, itching, tears.

FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the Symptoms/effects after ingestion

gastric/intestinal mucosa. Irritation of the oral mucous membranes. Nausea.

SECTION 12: Ecological information

Toxicity

2-(2-butoxyethoxy)ethanol (112-34-5)	
LC50 fish 1	1300 mg/l (96 h; Lepomis macrochirus)
LC50 other aquatic organisms 1	10 - 100 mg/l (96 h)
EC50 Daphnia 1	2850 mg/l (24 h; Daphnia magna; GLP)
LC50 fish 2	1805 mg/l (48 h; Leuciscus idus)
EC50 Daphnia 2	> 100 mg/l (48 h; Daphnia magna)
TLM fish 1	10 - 100,96 h; Pisces
TLM other aquatic organisms 1	10 - 100,96 h
Threshold limit other aquatic organisms 1	10 - 100,96 h
Threshold limit algae 1	53 mg/l (192 h; Microcystis aeruginosa)
Threshold limit algae 2	>= 100 mg/l (96 h; Scenedesmus subspicatus)

tetrasodium ethylenediaminetetracetate (64-02-8)		
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)	
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)	
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)	
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)	

Persistence and degradability

2-(2-butoxyethoxy)ethanol (112-34-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.25 g O ₂ /g substance
Chemical oxygen demand (COD)	2.08 g O ₂ /g substance
ThOD	2.173 g O ₂ /g substance
BOD (% of ThOD)	0.11 % ThOD

tetrasodium ethylenediaminetetracetate (64-02-8)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance
Chemical oxygen demand (COD)	0.54 - 0.58 g O₂/g substance

12.3. **Bioaccumulative potential**

2-(2-butoxyethoxy)ethanol (112-34-5)		
BCF fish 1	0.46 (QSAR)	
Log Pow	0.56 (Experimental value)	
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
tetrasodium ethylenediaminetetracetate (64-02-8)		
Log Pow	-2.6	

Product Code:285 EN (English US) Page 5 of 8

Safety Data Sheet

tetrasodium ethylenediaminetetracetate (64-02-8)

Bioaccumulative potential Bioaccumulation: not applicable.

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

UN-No.(DOT) : Not Regulated

Other information : No supplementary information available.

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not Regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-(2-butoxyethoxy)ethanol CAS-No. 112-34-5 5 - 10%

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

Subject to reporting requirements of United States SARA Section 313.

Listed on the Canadian DSL (Domestic Substances List).

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Delayed (chronic) health hazard SARA Section 313 - Emission Reporting 1 %

tetrasodium ethylenediaminetetracetate (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

Listed on the Canadian DSL (Domestic Substances List).

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride (85409-23-0/68956-79-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

alkyl dimethyl benzyl ammonium chloride (C12-18) (68391-01-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

15.2. International regulations

CANADA

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on the Canadian DSL (Domestic Substances List).

chelant (64-02-8)

Listed on the Canadian DSL (Domestic Substances List).

EU-Regulations

No additional information available.

Product Code:285 EN (English US) Page 6 of 8

Safety Data Sheet

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

EPA Registration Number

: 1839-83-10693 • EPA Est. No. 10693-CA-1

EPA Comments

This chemical is a pesticide registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

15.3. US State regulations

Prop 65 Comments :

This product contains or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov 1,4-dioxane (CAS 123-91-1)

Acetaldehyde (CAS 75-07-0) Ethylene Glycol (CAS 107-21-1)

SECTION 16: Other information

Abbreviations Legend:

H302 Harmful if swallowed		
	H302	Harmful if swallowed

Product Code: 285 EN (English US) Page 7 of 8

Safety Data Sheet

H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause


significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 1
Flammability : 1
Physical : 0
Personal protection : B

B - Safety glasses, Gloves

Disclaimer (Test)

This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

Revision date: 02/02/2024 Supersedes: 04/14/2020 Version: 1.4

Product Code:285 EN (English US) Page 8 of 8