

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : **Star Brite 25 Sealer-Finish**  
Product code : 9096

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Sealer-Finish

#### 1.3. Details of the supplier of the safety data sheet

Chemco Products Company  
19402 Susana Rd.  
Rancho Dominguez, CA 90221 - USA  
T 800-266-2116 - F 310-631-7496  
<http://www.flo-kem.com>

#### 1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin Irrit. 2 H315  
Eye Dam. 1 H318

Full text of hazard classes, H- and EUH-statements: see section 16

#### 2.2. Label elements

##### GHS US labelling

Hazard pictograms :



GHS05

Signal word : Danger

Hazard statements : Causes skin irritation.  
Causes serious eye damage.

Precautionary statements : Wash hands, forearms and face thoroughly after handling.  
Wear protective clothing, protective clothing, eye protection, face protection.  
IF ON SKIN: Wash with plenty of water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Specific treatment (see supplemental first aid instruction on this label).  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.

#### 2.3. Hazard not otherwise classified (HNOC)

Other hazards which do not result in classification : No additional information available..

#### 2.4. Unknown acute toxicity (GHS US)

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable.

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H- and EUH-statements: see section 16

# Star Brite 25 Sealer-Finish

## Safety Data Sheet

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
acrylic polymer	(CAS-No.) Trade Secret	15 – 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
diethylene glycol monoethyl ether	(CAS-No.) 111-90-0	1 – 5	Eye Irrit. 2A, H319
tris(2-butoxyethyl)phosphate	(CAS-No.) 78-51-3	1 – 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412
ammonium hydroxide	(CAS-No.) 1336-21-6	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: If skin irritation or rash occurs: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation.
Symptoms/effects after eye contact	: Slight Irritation.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Extinguishing media for surrounding fires. Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: No additional information available.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Isolate from fire, if possible, without unnecessary risk.
------------------	---

#### 6.1.1. For non-emergency personnel

Protective equipment	: Protective gloves. Protective goggles.
Emergency procedures	: Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with appropriate safety equipment.
Emergency procedures	: Ventilate area.

# Star Brite 25 Sealer-Finish

## Safety Data Sheet

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Wash down leftovers with plenty of water. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe vapors. Ensure good ventilation of the work station. Observe normal hygiene standards. Use personal protective equipment as required.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Incompatible products : Oxidizing agent.
- Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No data available

ammonia (1336-21-6)		
ACGIH	ACGIH OEL TWA	25 ppm
ACGIH	ACGIH OEL STEL	25 ppm
OSHA	OSHA PEL TWA	18 mg/m <sup>3</sup>
OSHA	OSHA PEL TWA	25 ppm
OSHA	OSHA PEL STEL	27 mg/m <sup>3</sup>
OSHA	OSHA PEL STEL	35 ppm

### 8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : In case of repeated or prolonged contact wear gloves.
- Eye protection : Chemical goggles or safety glasses.
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. When working with concentrations above the exposure limit, users must wear an appropriate certified respirator.
- Other information : Do not eat, drink or smoke during use.
- Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : Milky-white
- Odour : Acrylic
- Odour threshold : No data available
- pH : 8 – 9
- Melting point : No data available
- Freezing point : No data available
- Boiling point : > 200 °F
- Flash point : > 200 °F
- Relative evaporation rate (butylacetate=1) : No data available

# Star Brite 25 Sealer-Finish

## Safety Data Sheet

Flammability	: No data available
Explosive limits	: No data available
Vapour pressure	: No data available
Vapor density	: No data available
Specific Gravity @ 77° F	: 1.0254 – 1.0454
Solubility	: Dispersible in water
Partition Coefficient n-Octanol-Water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available

### 9.2. Other information

VOC content	: < 5 g/l CARB VOC
-------------	--------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under recommended conditions.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizers. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Phosphorus oxides. Nitrogen oxides. Aldehydes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
----------------	------------------

#### diethylene glycol monoethyl ether (111-90-0)

LD50 oral rat	5445 mg/kg (Rat)
LD50 dermal rat	5940 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LC50 Inhalation - Rat	> 5.2 mg/l/4h (Rat)
ATE US (oral)	5445 mg/kg bodyweight
ATE US (dermal)	5940 mg/kg bodyweight

#### tris(2-butoxyethyl)phosphate (78-51-3)

LD50 oral rat	3000 mg/kg (Rat)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit)
ATE US (oral)	500 mg/kg bodyweight
ATE US (dermal)	1100 mg/kg bodyweight

#### ammonia (1336-21-6)

LD50 oral rat	350 mg/kg bodyweight (Rat; Equivalent or similar to OECD 401; Experimental value)
ATE US (oral)	350 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation. pH: 8 – 9
Serious eye damage/irritation	: Causes serious eye damage. pH: 8 – 9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met.

# Star Brite 25 Sealer-Finish

## Safety Data Sheet

Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation.
Symptoms/effects after eye contact	: Slight Irritation.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>diethylene glycol monoethyl ether (111-90-0)</b>	
LC50 - Fish [1]	12900 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Flow-through system)
EC50 - Crustacea [1]	3940 mg/l (48 h; Daphnia magna)
EC50 - Other aquatic organisms [1]	10661 mg/l (Echinoidea; Growth)
LC50 - Fish [2]	9650 mg/l (96 h; Pimephales promelas; Flow-through system)
<b>tris(2-butoxyethyl)phosphate (78-51-3)</b>	
LC50 - Fish [1]	10 – 100 mg/l (96 h; Brachydanio rerio)
EC50 - Crustacea [1]	10 – 100 mg/l (48 h; Daphnia magna)
<b>ammonia (1336-21-6)</b>	
LC50 - Fish [1]	0.16 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Solution >=50%)
LC50 - Other aquatic organisms [1]	1 – 10 mg/l (96 h; Solution >=50%)
LC50 - Fish [2]	0.75 – 3.4 mg/l (96 h; Pimephales promelas; Solution >=50%)
Threshold limit - Other aquatic organisms [1]	1 - 10,96 h; Solution >=50%

### 12.2. Persistence and degradability

<b>diethylene glycol monoethyl ether (111-90-0)</b>	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.2 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.85 g O <sub>2</sub> /g substance
ThOD	1.9078849 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.11 % ThOD
<b>tris(2-butoxyethyl)phosphate (78-51-3)</b>	
Persistence and degradability	Inherently biodegradable. Biodegradability in soil: no data available.
Chemical oxygen demand (COD)	1.839 g O <sub>2</sub> /g substance
<b>ammonia (1336-21-6)</b>	
Persistence and degradability	Readily biodegradable in water. Ozonation in water. Biodegradable in the soil. No (test) data on mobility of the substance available. Ozonation in the air.

### 12.3. Bioaccumulative potential

<b>diethylene glycol monoethyl ether (111-90-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	-1.19 – -0.08
Bioaccumulative potential	Bioaccumulation: not applicable.
<b>tris(2-butoxyethyl)phosphate (78-51-3)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>ammonia (1336-21-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	-1.14 (Literature study)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### 12.4. Other adverse effects

Other information	: Avoid release to the environment.
-------------------	-------------------------------------

# Star Brite 25 Sealer-Finish

## Safety Data Sheet

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.  
Ecological waste information : Avoid release to the environment.

### SECTION 14: Transport information

#### 14.1. UN Number

UN-No. (DOT) : Not Regulated  
Other information : No supplementary information available.

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not Regulated

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

diethylene glycol monoethyl ether	CAS-No. 111-90-0	1 – 5%
tris(2-butoxyethyl)phosphate	CAS-No. 78-51-3	1 – 5%
Acrylic Polymer	CAS-No. Proprietary	1 – 5%
acrylic polymer	CAS-No. Trade Secret	15 – 20%
ammonium hydroxide	CAS-No. 1336-21-6	1 - 5%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

ammonia	CAS-No. 1336-21-6	1 - 5%
---------	-------------------	--------

##### diethylene glycol monoethyl ether (111-90-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.  
Listed on the Canadian DSL (Domestic Substances List).

SARA Section 311/312 Hazard Classes : Delayed (chronic) health hazard

##### tris(2-butoxyethyl)phosphate (78-51-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.  
Listed on the Canadian DSL (Domestic Substances List).

##### ammonia (1336-21-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.  
Subject to reporting requirements of United States SARA Section 313.  
Listed on the Canadian DSL (Domestic Substances List).

RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists) : 1000 lb  
SARA Section 311/312 Hazard Classes : Immediate (acute) health hazard

#### 15.2. International regulations

##### CANADA

##### diethylene glycol monoethyl ether (111-90-0)

Listed on the Canadian DSL (Domestic Substances List).

##### tris(2-butoxyethyl)phosphate (78-51-3)

Listed on the Canadian DSL (Domestic Substances List).

##### ammonia (1336-21-6)

Listed on the Canadian DSL (Domestic Substances List).

##### EU-Regulations

No additional information available

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

##### 15.2.2. National regulations

# Star Brite 25 Sealer-Finish

## Safety Data Sheet

15.3. US State regulations

Prop 65 Disclaimer : This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

SECTION 16: Other information

Abbreviations Legend:


Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

- NFPA health hazard

: 1 - Materials that, under emergency conditions, can cause significant irritation.
- NFPA fire hazard

: 1 - Materials that must be preheated before ignition can occur.
- NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



- Hazard Rating
- Health

: 1
- Flammability

: 1
- Physical

: 0
- Personal protection

: B
- B - Safety glasses, Gloves

Disclaimer 2.0

This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (310) 632-7124

Revision date: 02/13/2025      Supersedes: 11/26/2024      Version: 2.3